



WLBP's

FAWL SCHEME

MANAGEMENT RECORD BOOK

Farm Name			
Address			
Fawl No:		Phone No:	

Contact Information:	
Farm Address: Postcode:	Contact Name: Farm Tel No: Mobile Contact No:
Farm map reference	Farm CPH No:
Other CPH Nos	
Location of nearest telephone:	Directions to farm:
Location of nearest alternative water supply Location of washing facilities Location of fire extinguishers	Location of isolation points: Gas: Electricity: Water:
Location of gas cylinders, fuel tanks and any highly flammable substances (for example fertilisers)	Location of any corrosive, poisonous or other noxious substances (pesticides, paints, preservatives, acids)

** These are the correct contact details at the time of print*

Section (1) - Emergency Contact Telephone List		
Contact	Telephone Numbers	
Doctor:		
Nearest Hospital A&E Department		
Health & Safety Executive*:	Info Line 0845 300 9923	
Natural Resources Wales – Cyfoeth Naturiol Cymru	Incident Hotline 0800 807060 Floodline Service 0345 988 1188 General Enquiries 0300 065 3000	
Rural Payments Wales (RPW)		
Electricity Company Emergency No:		
Gas Supply Company Emergency No:		
Water Supply Company Emergency No:		
Veterinary Surgeon:		
Dairy Producers:	Name	Phone number
Milk Purchaser contacts:		
Dairy Bulk Tank Engineer		
Parlour Engineer		

Section (2) - Training Record

Date	Name of person trained	Experience/Training Topic	Name of trainer/course

Sheep Dipping / Treatment

Certificate & Permit Numbers

National Proficiency Tests Council (NPTC) Certificate of Competency Number (Dipping Number):	
--	--

Ground Water Authorisation Number (Permit Number to dispose of sheep dip):	
--	--

Section (3) Complaints record pro-forma:

Please record any complaint eg dirty stock, pollution incident made against the farm

Date	Nature of Complaint:	Received from:	Action taken:


Section (4) - Vermin Control Policy

Control measures to be adopted:

- **Vermin environmental risk assessment completed**
- All bagged feed is to be stacked tidily on pallets, off the floor and away from the walls
- All spilt food under feed bins is swept up and removed
- Feed stored loose on the floor or in bunkers is covered where practical unless the whole building can be vermin proofed
- Baits are checked frequently and in accordance with the recommendations of the bait manufacturer
- Where relevant, permanent baits are checked frequently and in accordance with the recommendations of the bait manufacturer. If signs of feeding are found, the bait is replenished and the premises re-surveyed.
- Baits are placed safely where they are not accessible to non-target species and do not contaminate feed.
- Feed storage areas are checked for pests on a regular basis.
- All dead rodents are found, removed and disposed of in accordance with bait manufacturer's instructions.
- Every effort is made to stop access to bait by children and non-target species
- Every effort is made to remove all rubbish and overgrown vegetation from outside the buildings and weeds and grass kept short
- All holes blocked are wherever possible. Wire mesh on windows will be no larger than 6 mm to keep out mice and junctions between walls, floors and ceilings are sealed
- Water cisterns and header tanks sealed
- Obsolete plumbing sealed and removed.


Yr 1	Date:		Signed:	
Yr 2	Reviewed:		Signed:	
Yr 3	Reviewed:		Signed:	
Yr 4	Reviewed:		Signed:	

Vermin Environmental Risk Assessment



Example of Site Map (Rodent infested area only)

Farm Address:	Postcode:
Date:	FAWL Number:



Site Map (Rodent infested area only)

Farm Address:	Postcode:
Date:	FAWL Number:



Section (5) - Policy on the Storage and Disposal of Sharps and Pharmaceutical

Waste & Broken Needle Policy

(a) Storage and Disposal of Sharps and pharmaceutical waste:

- Prior to disposal, all waste is stored safely in a secure, rigid container marked with appropriate warning symbols.
- The container and contents are disposed of by:

(Description where or how waste containers are disposed of)

- Labels, packaging and literature are referred to before pharmaceutical waste is disposed of to check whether there are restrictions on the method of its disposal.
- All staff are aware of waste management procedures.
- Every effort is made to try to reduce the quantity of waste generated by purchasing only the quantity of medicine needed.
- if in doubt, the veterinary surgeon is consulted

(b) Broken Needle Policy:

- (1) In the event that a broken needle is left in an animal during treatment, we:
 - Mark the animal with a distinct and permanent form of identification.
 - Record the date of the incident, the identity and the method of identification
 - Make a record of the injection site where the needle broke.
 - When disposed of, the animal will be consigned directly to slaughter and not sold to another producer.
- (2) The movement / means of disposal will be recorded in the herd / flock record book.
- (3) If the animal is retained as breeding stock or it is retained for longer than 7 days, its health status will be checked regularly.
- (4) The animal will only be marketed within 7 days if the withdrawal period for the substance being injected allows this.
- (5) The animal will be consigned to a slaughterhouse with an emergency slaughter certificate from a veterinary surgeon providing details of the injection site.
- (6) The injection site with the broken needle will be marked on the animal before consignment.
- (7) If the animal is marketed after 7 days, it will be consigned to a slaughterhouse and the slaughterhouse informed in writing of the broken needle, the injection site and the date on which incident occurred. The injection site with the broken needle will be marked on the animal before consignment.
- (8) If the animal is kept for home consumption care will be taken to avoid broken needle; alternatively, it will be euthanised.
- (9) Cattle and sheep will only be marketed as farm assured when the above procedures are followed.

Signed:

Date:

Section (6) - Warranty Declaration

This Appendix provides a draft 'Warranty' letter to provide information from the seller about the safety, quality and traceability of feeds supplied from non-assured sources or supply chains.

This draft warranty letter is only permitted for –

- Supply of forages or forage replacers (eg silage, hay, roots, root by-products, forage crops in situ)
- Farm to farm supplies of home-grown cereals or pulses.
- Farm to farm supplies of blends, compounds or other feed materials that are surplus to own requirements.*

* The validity of the warranty letter does not extend to cover compounds, blends, or feed materials purchased with the primary intent of re-sale directly or after blending. Farmers operating as such must register as a merchant or compounder and comply with the appropriate UFAS requirements.

Following completion, the letter must then be signed, dated and returned to the farmer by the feed supplier. The address of the feed supplier must be clearly stated. The letter can be valid for deliveries of the same material for a period of up to 12 months from the date of signature.

DRAFT LETTER

From:

.....
.....
(Supplier name & address)

Date:

To: [Recipient farmer]

With reference to: Supply of [enter feed type]

Warranty Declaration:

- This feed is suitable for consumption by livestock and is considered wholesome and free from any known contaminants.
- This feed has been stored, handled and transported so that the risk of contamination by pests or other means has been minimised and hygiene standards maintained at a level which is appropriate for materials entering the feed/food chain.
- Our records and premises are accessible for traceability and auditing purposes, on an appointment basis.
- I declare that I have registered with my local authority as a Food Business Operator as required by feed hygiene legislation.

For feeds other than forages or roots –

Either

- These cereals / pulses are not assured under a farm assurance scheme but are accompanied by a grain passport which records details of any post-harvest pesticide treatments if applied.

Tick as appropriate

Or

- This feed or feed material comprises home grown and/or purchased feed or feed materials surplus to own requirements. [NB - Any purchased feed or feed material must have originated from a UFAS, FEMAS or equivalent certified source.]

Yours sincerely,

..... (Signature)

..... (Name – print)

GRAIN PASSPORT

Supplier
Crop Type (E.G. Wheat, Beans Etc.)
Name Of Haulier
Vehicle Reg No.
Trailer Identification Number

Post Harvest Pesticide Treatment

Please delete / complete sections A, B, and C as applicable.

- A. No post harvest treatment of pesticide has been applied to the crop carried in the vehicle referred to above.
- B. Post harvest pesticide applications at or below the recommended levels as stated by the manufacturer have been made to the crop carried in the vehicle referred to above. Details are as follows:

Date:	Product :

- C. (Applies to grain drawn from bulk stores) The crop carried in the vehicle referred to above has been drawn from a bulk, which was delivered by suppliers who declared it had been partly / entirely treated with post-harvest pesticides at or below the recommended levels as stated by the manufacturer as follows:

.....
.....
.....

I also declare that that I have registered with my local authority as a Food Business Operator as required by feed hygiene legislation.

SIGNATURE

Signed Date

Name (Print)

Position: (Grower / Storekeeper / Other - please specify)

Section (7) - Health & Bio-Security Plan

(a) Farm Bio-security Plan		
Details of quarantine/isolation facilities and use		
	Cattle	Sheep
Location of isolation facility used to segregate sick or injured animals		
Routine bio-security procedures for brought in replacements and stores:		
Routine bio-security procedures for tack animals returning or leaving holding:		
Routine bio-security procedures for purchases of bulls and rams and hire or loan of bull and rams:		
Livestock Housing, Cleanliness and Disinfection		
Procedures undertaken to ensure stock housing is maintained in a clean condition including frequency of cleaning operation, disinfection and method of storage and location of animal waste		
Manure Storage and Application		
Procedures undertaken to evaluate manure heap sites and restrict access to them by stock		
Procedures used to ensure that stock do not graze land on which manure or slurry has been recently spread		

Farm Visitor Hygiene	
Procedures undertaken to ensure that farm visitors do not carry disease to and from the farm e.g. disinfection points	
Feed Storage	
Vermin control policy if different from FAWL Standard as noted in FAWL Scheme Management Record Book section 4	
Trough feeding of cattle	
Procedures implemented to restrict access to feeding and water troughs by wildlife including badgers.	
Procedures implemented to restrict access to livestock buildings by wildlife including badgers.	
Unexplained deaths and abortions	
Procedures adopted for unexplained deaths and abortions	
Fallen stock Management	
Disposal method	
Pick up point on farm -	
Proximity of neighbouring stock	
Perceived health status of neighbouring farms	
Action taken to minimise the spread of disease or potential disease from neighbouring farms if thought necessary, e.g. double fencing, vaccination	

(b) Animal Health Plan

(i) Livestock Management – Routine Procedures

Month:	SHEEP	CATTLE
January		
February		
March		
April		
May		
June		
July		
August		
September		
October		
November		
December		

(ii) Routine Procedures

Parasite Control – Sheep

Type of parasite	Treatment/method of control used	Timing
Gut worms		
Liver Fluke		
Sheep Scab		
Lice		
Blow Fly Strike		
Other		

(ii) Routine Procedures - continued

Parasite Control – Cattle

Type of parasite	Treatment/method of control used	Timing
Gut worms		
Liver Fluke		
Lungworm		
Ecto- parasites (inc mange)		

(iii) Vaccination Policy - Sheep

Type of disease	Vaccine Used	Timing
Clostridial disease		
Pasturellosis		
Footrot		
Orf		
Toxoplasmosis		
Enzotic Abortion		
Other		

Vaccination Policy – Cattle

Scour		
Pneumonia		
Black Leg/Tetanus		
Lungworm		
Leptospirosis		
BVD		
IBR		
Other		

(v) Targets for improvements in animal health in the following year:

Cattle Enterprise	1			
	2			
	3			
	4			
Sheep Enterprise	1			
	2			
	3			
	4			
Other comment				
Yr 1	Date:		Signed:	
Yr 2	Reviewed:		Signed:	
Yr 3	Reviewed:		Signed:	
Yr 4	Reviewed:		Signed:	



Farm Assured Welsh Livestock – Annual Health and Welfare Review

(To be completed by farm vet)

WLBP Member Name:

Farm Address:

Post Code:

FAWL Membership No:

Vet Name:

Vet Practice:

If more than one practice is retained by the farm, the review must include all medicines prescribed/used

From a review of the farm health plan and medicine records, is there any evidence of regularly occurring animal health problems?

YES/NO

If 'YES' please note below and explain steps being taken to rectify incidence of listed problems in future

Problems/Observations

Please confirm that up-to-date farm medicine records have been reviewed including total antibiotic prescribed & utilised.

YES/NO

If 'NO', please explain why not below

If antibiotics have been used, please suggest recommendations on how they could be responsibly reduced without negatively impacting on animal welfare.

Recommendations:

If HP CIAs (3rd & 4th generation cephalosporin's, fluoroquinolones and colistin) have been used, please propose recommendations to reduce or remove their usage in the future. It is good practice to have demonstrable evidence diagnostic/sensitivity tests if they have been used.

Recommendations:

The constant use of antibiotics (prophylactic) on a significant scale is no longer considered acceptable practice. If such antibiotic use is being practised, can plans made to reduce usage where possible? Please propose recommendations for alternative strategies below.

Recommendations:

Is there a risk of developing anthelmintic resistance from unnecessary or incorrect use of anthelmintics?	YES/NO
If applicable, please propose a worm control plan that could reduce the risk of developing anthelmintic resistance and reduce the unnecessary or incorrect use of anthelmintics	
Recommendations:	
If there is evidence of a fluke problem, please suggest a fluke control plan that can reduce the risk of development of resistance and where applicable reduce unnecessary or incorrect use of flukicides.	
Recommendations:	
Since a biosecurity plan needs be in place, please review quarantine procedures taken when purchasing/returning livestock to the holding/s to assess if appropriate. If procedures are appropriate, please comment below on how they meet your approval. If not appropriate or absent, please make recommendations to reduce the risk of disease and resistant organisms entering or developing on the farm.	
Recommendations:	

Extract from Welsh Lamb & Beef Producers Ltd.'s FAWL scheme standard (Ver 5.01)**July 2018***Standards relevant to veterinary review*

Standard Title:	Ref No	Standard
Veterinary Support	8a Key	The herd or flock must be under the routine care of a named veterinary surgeon or practice.
Health & Welfare Plan including Biosecurity procedures	8b Key	A comprehensive health & welfare plan must be drawn up for all cattle & sheep enterprises. The plan will need to include a note of routine procedures such as parasite control & vaccination policy; results of any relevant testing (e.g. post-mortem, livestock feed analysis, faecal egg count etc) a note of regularly occurring problems and targets for the following year. It will also need to detail the farm's biosecurity procedures (including quarantine controls) to manage biosecurity risks from incoming stock from whatever source
Annual livestock health & welfare review	8c Key	An annual livestock health & welfare review must be undertaken with the farm vet. The vet will be expected to review: (1) regularly occurring problems and key issues, making recommendations to improve identified issues (2) medicine records and data, including anthelmintic use, flukicide use, total antibiotic prescribed & utilised making recommendations for responsible reduction of medicine used, where appropriate (3) the use of Highest Priority Critically Important Antibiotics (HP-CIAs) and make recommendations for responsible reduction (4) prophylactic treatment and make recommendations for alternative disease prevention strategies (5) biosecurity

Section (8) - Farm Manure Management Plan- including slurry and “dirty water”

A Farm Manure Management Plan will help identify when, where and at what rate to spread manures, slurry, dirty water and other organic materials. Producers will benefit while minimising the risk of causing pollution. It will also help producers assess whether they have enough storage.

FAWL members will need to be able to identify where and when Manure can be applied and demonstrate that there is enough land area available for manures to be applied without exceeding a Total Nitrogen application of 250kg/ha/year. (Lower rates will apply for Nitrogen Vulnerable Zones (NVZ's)).

Step 1: Map – Have a map of the farm available.

Step 2: Mark (a) ditches, watercourses, ponds (b) non-spreading areas (c) don't spread areas (d) high risk areas (e) very high-risk areas & (f) lower risk areas on the map. Estimate each total area size and include a key of when manures can be spread. (Colour codes will help to make it simple)

What	Where	Spreadable Area (Ha)	When
Water (BLUE)	Any ditches, watercourses and ponds. Also springs, wells or boreholes where water is used for human consumption or farm dairies, including any on neighbouring land close to the farm boundary.	n/a	DO NOT SPREAD
Non-spreading Areas (WHITE)	Fields where manure would not normally be spread; non-farmed fields, woodlands or fields simply too far away from the farm buildings.	n/a	DO NOT SPREAD
Don't spread Areas (RED)	Areas where manure shouldn't be spread. At least 10 metres either side of all ditches and watercourses, (unless precision spreading equipment is used- when a 6 metre limit applies); 50 metres around springs, wells and boreholes, steep slopes with a high risk of run-off throughout the year; and Environmentally Sensitive Areas, Sites of Special Scientific Interest, or other land subject to management agreements.	n/a	DO NOT SPREAD
High Risk Areas (YELLOW)	Fields next to watercourse, spring or borehole with soil at field capacity with moderate slope or slowly permeable soil; where soil depth over fissured rock is less than 30cm; with effective pipe or field drains		Use throughout the year subject to ground conditions, but restrict application rates in winter.
Very High Risk Areas (ORANGE)	Fields likely to flood sometime in most winters; next to watercourse, spring or borehole where surface is severely compacted or waterlogged or have a steep slope and the soil is at field capacity or have a moderate slope and slowly permeable soil.		Avoid in winter and in a dry summer when soil cracks down to the drains, or when the soil is compacted.
Lower Risk Areas (GREEN)	All other areas not already marked		Can be used throughout the year.
Total Spreadable Area Available:			

Step 3: Compare area available and manure production

Calculate the area required to spread the manure produced on the farm in a year without exceeding a Total Nitrogen application rate of 250kg/ha. The guidelines below are a very simple indication.

Calculating Minimum Area Required:

	No of Stock Units	Months Housed	Hectares needed by Stock Unit	Total Area Needed (Ha)
Cow (650kg)		X	X 0.039	=
Cow (550kg)		X	X 0.032	=
Cow (450kg)		X	X 0.025	=
Heifer 2yr+ (500kg)		X	X 0.019	=
Youngstock 1-2yr (400kg)		X	X 0.016	=
Youngstock 6-12mths		X	X 0.008	=
Calf		X	X 0.005	=
Bull		X	X 0.019	=
Sheep		X	X 0.003	=
Lamb (up to 6 months)		X	X 0.001	=
Lamb (6-12 months)		X	X 0.002	=
			Total Area Required	

If **Total Spreadable Area Available** exceeds the **Total Area Required** - plan is complete.

If **Total Spreadable Area Available** is less than the **Total Area Required**, then a more detailed plan or alternative action is required.

- Experience has shown that following a Farm Manure Management Plan reduces pollution risk and helps management of manures etc. during adverse weather conditions.
- Retaining NPK for crop growth by minimising losses will save on the farms bagged fertiliser bill.
- If producers use contractors for muck spreading, a plan will provide a simple way of keeping them fully informed about pollution risks on the farm.
- Following a plan will help producers comply with the Code of Good Agricultural Practice for the Protection of Water, Soil and Air.
- Such a plan may be required if producers intend to carry out improvements involving less than four months storage of slurry or dirty water.
- A plan provides evidence that effective procedures are in place.

Yr 1	Date:		Signed:	
Yr 2	Reviewed:		Signed:	
Yr 3	Reviewed:		Signed:	
Yr 4	Reviewed:		Signed:	

Section (9) - Crop Protection Records

**Plant Protection Products (PPP)
Test & Certificate Numbers**

National Proficiency Tests Council (NPTC) Number:	
National Sprayer Testing Scheme (NSTS) Number:	

Field or area treated	Date Applied	Operator	Reason for treatment	Product Applied	Dose Rate (lt or kg per ha)	Water volume (lt/ha)	Total area treated	Total product used	Weather conditions

Section (11) Secure Storage of Fertiliser – Self Assessment Checklist

		Yes	No
1.	Did you obtain your fertiliser from a Fertiliser Industry Assurance Scheme (FIAS) approved supplier?	<input type="checkbox"/>	<input type="checkbox"/>
2.	Is your fertiliser stored away from areas where there is public access?	<input type="checkbox"/>	<input type="checkbox"/>
3.	Have you ensured that your fertiliser is not stored or left unattended within sight of a public highway?	<input type="checkbox"/>	<input type="checkbox"/>
4.	Do you have a current inventory of your fertiliser stock?	<input type="checkbox"/>	<input type="checkbox"/>
5.	Does your inventory detail the type and brand of fertiliser delivered, stored and used?	<input type="checkbox"/>	<input type="checkbox"/>
6.	Do you have a record of the manufacturers' code numbers?	<input type="checkbox"/>	<input type="checkbox"/>
7.	Is your fertiliser stored in a secure building or compound? Or Is your fertiliser stored fully sheeted with tamper evident precautions?	<input type="checkbox"/>	<input type="checkbox"/>
8.	Do you have a protocol, which is known to all staff, detailing what action must be taken if stored fertiliser is tampered with or unaccountably goes missing (i.e. theft)?	<input type="checkbox"/>	<input type="checkbox"/>
9.	How often do you check your fertiliser stock to ensure that any discrepancy is noticed as soon as possible? <i>(Tick as appropriate)</i> Daily <input type="checkbox"/> Weekly <input type="checkbox"/> Monthly <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.	If you store 25 tonnes or more of fertiliser, have you notified your local fire officer and Health and Safety Executive (HSE)? For further advice please refer to SI 1990 No. 304 – The Dangerous Substances (Notification and Marking of Sites) Regulations 1990 and refer to Appendix 5 – safe and secure storage of artificial mineral fertiliser, within the Producer Manual.	<input type="checkbox"/>	<input type="checkbox"/>
11.	If you are storing 150 tonnes or more of ammonium nitrate or ammonium nitrate-based fertilisers which contain more than 15.75% nitrogen by weight, have you notified the Health and Safety -Executive?	<input type="checkbox"/>	<input type="checkbox"/>

(12) SPRAYER SELF-ASSESSMENT CHECK-LIST

Sprayer Make:
Date of assessment:

Model:
Name of person who made the checks:

Key: Checked/Completed Needs Attention
Adjusted Not Applicable

Mechanical

- Is the attachment to tractor secure?
- Is the chassis and structure free of cracks and rust?
- Are the wheels and tyres in good condition?
- Are guards, inc. PTO shaft guard, secure and undamaged?

Hydraulic system, incl. tracking system if fitted

- Are they free from leaks under pressure?
- Are the hoses and connections worn or cracked?

Electrical system

- Is the wiring undamaged & are all connections properly insulated?
- Do all the lights work properly?

Pneumatic system

- Is the system free from leaks when working under operating pressures?

Sprayer tank

- Are the tank/chassis fasteners secure?
- Free from leaks?
- Does the lid fit securely and free from leaks?
- Is the contents gauge clearly legible?

Boom

- Is it properly latched when folded for transport?
- When unfolded, is it straight and level?
- Does the height adjustment and suspension work properly?
- Does the boom return to level when displaced to left?
- and right?
- Are the break-backs functioning freely?
- Are the mountings and linkages secure and not worn?

Spray lines

- Are they free from leaks under pressure?
- No hoses and connectors worn or cracked?
- Are all valves and filters in good condition?

Nozzles

- Are all fittings and turrets in good condition?
- Are all nozzles correctly orientated?
- Are all check valves working properly?
- Is the spray/distribution pattern visually correct?

Controls and valves

- Are the master on/off switches working correctly?
- Are all boom section switches functioning?
- Can you read the pressure gauges easily?
- Are all labels appropriate and legible?
- Is the pressure adjustment/stable?
- Pressure gauge reading zero?

Chemical induction system

- Are the system and controls working properly?
- Is it free from leaks under pressure?
- Are all labels appropriate and readable?
- Is the rinse system and container wash system working properly?

Tank rinse system

- Is the system functioning properly?

External wash-down

- Is the system functioning properly?

Personal

- Water supply tank filled?
- Is the clothing locker clean and contents complete?